



Software Catalog

BlueSpice 4



All BlueSpice pro extensions at a glance.

A list of all MediaWiki and BlueSpice extensions for the current version of BlueSpice.

List of Extensions (193)

- [Additionally required license for DocX export \(optional\)](#)

Legend:

- ⊘: Extension is **not included** in this Edition
- : Extension is **included**, but **deactivated** by default
- ✓: Extension is **included** and is **activated** by default

| Extension | Description | License | Main-tainer | free | pro | farm | cloud |
|--|---|--------------|-------------|------|-----|------|-------|
| Arrays | Store and compute named arrays | MIT | MW | ✓ | ✓ | ✓ | ✓ |
| Auth remoteuser | Automatically logs-in users using the <code>REMOTE_USER</code> environment variable | GPL v2+ | MW | ■ | ■ | ■ | ⊘ |
| BlueSpiceAbout | Information about BlueSpice | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceArticleInfo | Provides information about a page in status bar | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceArticlePreviewCapture | Creates preview images of wikipages for dynamic file dispatcher | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceAuthors | Displays the profile picture for authors of a page | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceAvatars | Provides generic and individual user pictures | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceBookshelf | Enables BlueSpice to manage and export hierarchical collections of articles. | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceCalumma | BlueSpice Skin | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceCategoryCheck | Checks for assigned category before an article gets saved | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceCategoryManager | Visual tool to manage categories | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceChecklist | Provides checklist functionality | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |



| Extension | Description | License | Main-tainer | free | pro | farm | cloud |
|--|--|--------------|-------------|------|-----|------|-------|
| BlueSpiceCloudClient | encapsulates all cloud specific functionality | GPL v3 | BS | ⊘ | ⊘ | ⊘ | ✓ |
| BlueSpiceConfigManager | Offers the possibility to admins, to configurate the whole wiki from a single special page | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceContextMenu | Provides context menus for various links | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceCountThings | Provides content based statistics | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceCustomMenu | Provides customizable menus | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceDashboards | Provides dashboards for users and administrators | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceDiscovery | BlueSpice skin | | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceDistributionConnector | Connects BlueSpice to various MediaWiki extensions | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceDrawioConnector | Connects BlueSpice to Drawio | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceEchoConnector | Connects BlueSpice with Echo | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceEmoticons | Renders emoticons in a text as images | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceExpiry | Pages can be marked as expired. | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceExportTables | Allows export of tables to Excel and CSV | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceExtendedFilelist | Provides a special page to interact with the wiki file repo | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceExtendedSearch | Elasticsearch search backend | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceExtendedStatistics | Statistics module for BlueSpice | GPL-3.0-only | BS | ■ | ✓ | ✓ | ✓ |

| Extension | Description | License | Maintainer | free | pro | farm | cloud |
|---|---|--------------|------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| BlueSpiceFilterableTables | Provides a filterable content tables | GPL-3.0-only | BS | <input type="radio"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceFlaggedRevsConnector | Adds support for FlaggedRevs to a range of other extensions. | GPL-3.0-only | BS | <input type="radio"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceFoundation | Makes MediaWiki enterprise ready | GPL-3.0-only | BS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceGroupManager | Administration interface for adding, editing and deleting user groups and their rights | GPL-3.0-only | BS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceHideTitle | Adds the magic word <code>''''UNIQ--nowiki-00000058-QINU''''</code> to hide the title of the page | GPL-3.0-only | BS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceInsertCategory | Dialog to enter a category link | GPL-3.0-only | BS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceInsertFile | Dialog to upload files and insert a file link | GPL-3.0-only | BS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceInsertLink | Dialog box to enter a link | GPL-3.0-only | BS | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceInsertMagic | Adds a dialog allowing the insertion of magic words and tags | GPL-3.0-only | BS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceInsertTemplate | provides a dialog interface to add and modify templates in edit mode. A preview can be shown. | GPL v3 only | BS | <input type="radio"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceInterWikiLinks | Administration interface for adding, editing and deleting interwiki links. | GPL v3 only | BS | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceInterwikiSearch | Simultaneous search in multiple wikis | GPL v3 | BS | <input type="radio"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| BlueSpiceLatexRenderer | Renders LaTeX markup on a Windows server. | GPL v3 only | BS | <input type="radio"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceMatomoConnector | Interface between BlueSpice and the Matomo analytics tool | GPL v3+ | BS | <input type="radio"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="radio"/> |
| BlueSpiceMultiUpload | Provides batch uploading of files | GPL-3.0-only | BS | <input type="radio"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| BlueSpiceNSFileRepoConnector | Integrates NSFileRepo in a range of BlueSpice Extensions (Requires NSFileRepo) | GPL-3.0-only | BS | <input type="radio"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

| Extension | Description | License | Main-tainer | free | pro | farm | cloud |
|---|---|--------------|-------------|------|-----|------|-------|
| BlueSpiceNamespaceCSS | Namespace specific styling | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceNamespaceManager | Administration interface for adding, editing and deleting namespaces | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpicePageAccess | Controls access on page level | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpicePageAssignments | Enables you to assign users or groups to a page | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpicePageFormsConnector | Integrates PageForms extension into BlueSpice | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpicePageTemplates | Displays a list of templates marked as page templates | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpicePagesVisited | Provides a personalized list of the last visited pages | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpicePermissionManager | Administration interface for editing user rights | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpicePlayer | Embed a media player on a page. | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpicePrivacy | Management page for user privacy settings | GPL-3.0-only | BS | ■ | ■ | ■ | ✓ |
| BlueSpiceProDistributionConnector | General interface between MediaWiki extensions and BlueSpice pro. | GPL v3 only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceQrCode | Displays a QR code with a link to the current page in the toolbar. | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceRSSFeeder | An extension to output valid RSS for every extension, which has a buildRss-function | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceRating | Provides a rating system | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceReadConfirmation | Extension to collect read confirmations for a page | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| | Creates a list of the people who | GPL- | | | | | |



| Extension | Description | License | Main-tainer | free | pro | farm | cloud |
|---|---|--------------|-------------|------|-----|------|-------|
| BlueSpiceReaders | read a page | 3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceReminder | Gives the user the opportunity to create reminders. | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSMWConnector | Integrates SemanticMediaWiki into BlueSpice | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSaferEdit | Provides warnings if other users are editing the page | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceSignHere | Provides a tag to quickly add a signature to a page | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSmartList | Displays the last five changes of the wiki in a list | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceSocial | Base extension for social extensions | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialBlog | Blog entity for BlueSpiceSocial | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialComments | Comment functionality for BlueSpiceSocial | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialMicroBlog | Microblog functionality for BlueSpiceSocial | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialProfile | Profile entity for BlueSpiceSocial | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialRating | Rating functionality for BlueSpiceSocial-entities | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialResolve | Resolve functionality for BlueSpiceSocial-entities | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialTags | Adds tagging functionality to social entities | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialTimelineUpdate | Update functionality for BlueSpiceSocialTimeline | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| | | GPL-3.0- | | | | | |



| Extension | Description | License | Main-tainer | free | pro | farm | cloud |
|---|---|--------------|-------------|------|-----|------|-------|
| BlueSpiceSocialTopics | Topic and discussion entities for BlueSpiceSocial | only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialWatch | Watch-functionality for BlueSpiceSocial-entities | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceSocialWikiPage | WikiPage entity and functionality for BlueSpiceSocial | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceTagCloud | Displays various tag clouds | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceUEModuleBookPDF | Enables BlueSpice export hierarchical collections of articles to Adobe® Portable Document Format (PDF). | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceUEModuleDOCX | This extension outputs a wiki page to Office Open XML. | GPL v3 only | BS | ■ | ■ | ■ | ⊘ |
| BlueSpiceUEModuleHTML | Enables export to HTML | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceUEModulePDF | Enables MediaWiki to export pages into PDF format | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceUEModulePDFRecursive | Enables recursive export of pages into PDF format. | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceUEModulePDFSubpages | export an article and subpages to PDF format. | GPL v3 only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceUEModuleTable2Excel | Enables export to Excel formats and CSV | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceUniversalExport | Enables MediaWiki to export pages into different formats | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceUsageTracker | Holds statistical data about extension use | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceUserInfo | Provides flyouts with user informations for user images and links | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceUserManager | Administration interface for adding, editing and deleting users | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceUserSidebar | Customizable personal navigation menu | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |

| Extension | Description | License | Maintainer | free | pro | farm | cloud |
|--|---|--------------------------|------------|------|-----|------|-------|
| BlueSpiceVisualEditorConnector | Connects BlueSpice with VisualEditor | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceWatchList | Adds a watchlist widget and tag | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceWebDAVClientIntegration | Allows opening files from the browser directly in the client application (Requires WebDAV) | GPL-3.0-only | BS | ⊘ | ■ | ■ | ■ |
| BlueSpiceWebDAVMinorSave | bs-webdavminorsave-desc | GPL-3.0-only | BS | ⊘ | ■ | ■ | ■ |
| BlueSpiceWholsOnline | Displays a list of users who are currently online | GPL-3.0-only | BS | ✓ | ✓ | ✓ | ✓ |
| BlueSpiceWikiExplorer | Sort articles by criteria | GPL-3.0-only | BS | ⊘ | ✓ | ✓ | ✓ |
| BlueSpiceWikiFarm | User interface for managing wiki instances. | GPL v3 | BS | ⊘ | ⊘ | ✓ | ⊘ |
| Bootstrap | Provides the Bootstrap framework in the wiki | GPL v3+ | MW | ✓ | ✓ | ✓ | ✓ |
| CategoryTree | Enables you to displays categories and subcategories in a tree structure. | GPL v3 only | MW | ✓ | ✓ | ✓ | ✓ |
| Chameleon | Provides a flexible responsive skin using Bootstrap 4 | GPL v3+ | MW | ✓ | ✓ | ✓ | ✓ |
| Cite | Allows a user to create footnotes by using a special tag. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| CiteThisPage | Extension provides a special page which allows creating a citation for a page in variety of styles. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| CodeEditor | Syntax-highlighted editing for JavaScript and CSS pages using Ace editor | GPL v2+ and BSD 3 Clause | MW | ✓ | ✓ | ✓ | ✓ |
| CognitiveProcessDesigner | Draw BPMN processes with a graphical user interface in Semantic MediaWiki | Apache license 2.0 | MW | ⊘ | ✓ | ✓ | ✓ |
| ConfirmAccount | Requires submission and approval of accounts. | GPL v2+ | MW | ⊘ | ⊘ | ⊘ | ✓ |
| ConfirmEdit | Enables the user to place various CAPTCHA methods to protect the wiki from spambots. | GPL v2+ | MW | ■ | ■ | ■ | ⊘ |



| Extension | Description | License | Maintainer | free | pro | farm | cloud |
|------------------------------------|--|-------------|------------|------|-----|------|-------|
| ContentTransfer | Copies new or existing wiki pages into a different wiki. (v3.2 and up) | GPL v3 | BS | ⊘ | ⊘ | ■ | ⊘ |
| CreateUserPage | Create user page for a user if it does not exist when the user logs in | MIT | MW | ✓ | ✓ | ✓ | ✓ |
| Data Transfer | Allows for importing and exporting the contents of a wiki's pages in XML and CSV form, using template calls to define the fields. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| DrawioEditor | Integration of diagrams | MIT | MW | ⊘ | ✓ | ✓ | ✓ |
| DynamicPageList3 | Create lists of other articles based on their category, namespace, title, references or template usage and include contents or arguments of template calls of those articles into your page. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| Echo | Provides an in-wiki notification system that can be used by other extensions. | MIT | MW | ✓ | ✓ | ✓ | ✓ |
| EmbedVideo | Adds a parser function called <code>#ev</code> for embedding video clips from popular video sharing services. | MIT | MW | ✓ | ✓ | ✓ | ✓ |
| EventBus | Propagation of change events to a RESTful service. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| ExtJSBase | Adds the GPL version of Sencha Inc. ExtJS Rich Internet Application Framework | GPL v3 only | BS | ✓ | ✓ | ✓ | ✓ |
| External Data | allows for using and displaying values retrieved from various sources: external URLs, local wiki pages and local files (in CSV, GFF, JSON and XML formats), database tables, and LDAP servers. | GPL v2+ | MW | ⊘ | ✓ | ⊘ | ⊘ |
| FilterSpecialPages | Inserts a field in Special: Specialpages to provide a search function. | GPL v2+ | BS | ✓ | ✓ | ✓ | ✓ |
| FlaggedRevs | Allows for article content management by editors and reviewers. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| FlexiSkin | allows to customize the skin of the wiki. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| Forms | All-purpose form framework for MediaWiki | GPL v3 only | MW | ⊘ | ✓ | ✓ | ✓ |
| Gadgets | Provides a way for users to pick JavaScript or CSS based "gadgets" that other wiki users provide. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |



| Extension | Description | License | Maintainer | free | pro | farm | cloud |
|-------------------------------------|---|---------|------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Header Tabs | displays top-level headers as JavaScript-based tabs. | GPL v2+ | MW | <input type="radio"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| HitCounters | Counts the hits of a page/article. | GPL v3+ | MW | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| ImageMap | Allows clickable HTML image maps. | GPL v2+ | MW | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| ImageMapEdit | automates and simplifies a large part of the process. | GPL v2+ | MW | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| InputBox | Allows to integrate HTML forms into wiki pages. | MIT | MW | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| Interwiki | Provides a special page for maintaining the Interwiki table. | GPL v2+ | MW | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| InviteSignup | Allows to send email invitations for account creation. | GPL v2+ | MW | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="checkbox"/> |
| LDAP Authorization | Allows group-based authorization against an LDAP resource. | MIT | BS | <input type="radio"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| LDAPAuthentication2 | Allows authentication against an LDAP resource | - | MW | <input type="radio"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| LDAPGroups | Allows user group synchronization with a LDAP resource | - | MW | <input type="radio"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| LDAPProvider | Provides a common infrastructure to connect to a LDAP resource and run queries against it | - | MW | <input type="radio"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| LDAPSynAll | Mechanism which synchronizes users in the database and users in Active Directory. (v3.2 and up) | - | MW | <input type="radio"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| LDAPUserInfo | Ermöglicht die Synchronisation von Benutzerinformation und Einstellungen mit einer LDAP Ressource. | GPL v2+ | MW | <input type="radio"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| Lingo | Provides hover-over tool tips on pages from words defined on the Glossar page | GPL v2+ | MW | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| LocalisationUpdate | Allows to update the localizations for MediaWiki messages at any time, without needing to upgrade the MediaWiki software. | GPL v2+ | MW | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="radio"/> |
| LoginNotify | Notifies users about unusual login events. | MIT | MW | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="checkbox"/> |
| Loops | Provides parser functions for performing loops. | - | MW | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | allows users to display maps and coordinate data using multiple | | | | | | |



| Extension | Description | License | Maintainer | free | pro | farm | cloud |
|----------------------------------|---|---------------------|------------|------|-----|------|-------|
| Maps | mapping services. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| Math | Renders mathematical formulas between math tags | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| MediaWiki | | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| MergeArticles | Merge corresponding pages in wiki instances. | GPL v3 | BS | ⊘ | ⊘ | ■ | ⊘ |
| MultimediaViewer | Provides a better experience to users when they click on thumbnails | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| NSFileRepo | implements per-namespace group permissions for image and file rights protection. | GPL v2+ | BS | ⊘ | ✓ | ✓ | ✓ |
| NativeSvgHandler | Display of graphics in SVG format | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| Nuke | Extension for administrators to delete more than one page at once. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| OATHAuth | Provides authentication support using HMAC-based one-time passwords | GPL v2+ and GPL v3+ | MW | ■ | ■ | ■ | ✓ |
| OOJSPlus | Provides Widgets and utility functions for OOJS | GPL v3 | BS | ✓ | ✓ | ✓ | ✓ |
| OpenID Connect | Extends the PluggableAuth extension to provide authentication using OpenID Connect. | MIT | MW | ⊘ | ⊘ | ⊘ | ✓ |
| OpenLayers | basic library for the grafical representation/chart of semantic data. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| Page Forms | Forms for creating and editing wiki pages | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| PageCheckout | Allows exclusive rights on a page for a user. | - | BS | ⊘ | ✓ | ✓ | ✓ |
| PageHeader | Provides an additional user interface before the page content. | GPL v3 only | BS | ✓ | ✓ | ✓ | ✓ |
| PageImages | Collects information about images used on page | WTFPL | MW | ⊘ | ✓ | ✓ | ✓ |
| ParserFunctions | Enhance parser with logical functions | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| ParserHooks | adds a OOP and declarative parser hook interface. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |



| Extension | Description | License | Main-tainer | free | pro | farm | cloud |
|---|--|-----------------|-------------|------|-----|------|-------|
| PdfHandler | Shows uploaded PDF files in a multipage preview layout. | GPL v2+ | MW | ■ | ■ | ■ | ✓ |
| PluggableAuth | Provides framework for pluggable authentication and authorization | MIT | MW | ■ | ■ | ■ | ⊘ |
| Poem | Create paragraphs and line breaks for poem formatting | GPL v2+ | MW | ■ | ■ | ■ | ⊘ |
| Popups | Displays previews when the user hovers over a page link | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| RSS | Renders RSS feeds to display them in wiki articles. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| Renameuser | Provides a special page that allows user accounts to be renamed. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| Replace Text | Provides a form to let administrators do string replacements on the entire wiki, for both page contents and page titles. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| RevisionSlider | Shows a slider for selecting and comparing revisions on a diff page. | - | MW | ⊘ | ✓ | ✓ | ✓ |
| Scribunto | provides a framework for embedding scripting languages into articles. | GPL v2+ and MIT | MW | ⊘ | ✓ | ✓ | ✓ |
| SecureLinkFixer | Rewrites URLs to HTTPS if domain always requires HTTPS | - | MW | ■ | ■ | ■ | ⊘ |
| Semantic Compound Queries | defines a parser function, #compound_query, that can make multiple Semantic MediaWiki queries at the same time. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| Semantic Extra Special Properties | Adds some extra special properties to all pages | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| Semantic MediaWiki | allows users to add structured data to wiki pages through simple wikitext markup that turns links to other pages and data values in a page into meaningful properties. With this information, SMW helps to search, organize, browse, evaluate, and share the wiki's content. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| Semantic Result Formats | Adds further formats to render inline query results. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| Semantic Scribunto | A Semantic MediaWiki extension to natively support the Scribunto extension | GPL v2+ and MIT | MW | ⊘ | ✓ | ✓ | ✓ |
| | Provides authentication using | | | | | | |



| Extension | Description | License | Maintainer | free | pro | farm | cloud |
|-------------------------------------|--|-------------|------------|------|-----|------|-------|
| SimpleSAMLphp | SimpleSAMLphp in conjunction with PluggableAuth | MIT | MW | ■ | ■ | ■ | ⊘ |
| SpamBlacklist | Create and manage blacklists based on URL patterns to avoid spam in the wiki. | GPL v2+ | MW | ■ | ■ | ■ | ⊘ |
| StandardDialogs | Provides dialog user interfaces for common page actions. | GPL v3+ | BS | ✓ | ✓ | ✓ | ✓ |
| SyntaxHighlight | Provides syntax highlighting and code rendering. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| TemplateData | Implement data storage for template parameters (using JSON) | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| TemplateStyles | Implement per-template style sheets | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| TextExtracts | Provides plain-text or limited HTML extracts of page content | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| TitleBlacklist | Manage black- and whitelist to forbid creating new articles and user accounts. | GPL v2+ | MW | ■ | ■ | ■ | ⊘ |
| TitleKey | Provides a title prefix search suggestion backend. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| TwoColConflict | Showing a side-by-side edit merge screen for edit conflict resolution | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| UnifiedTaskOverview | Provides the special page "My tasks" | - | MW | ⊘ | ✓ | ✓ | ✓ |
| UrlGetParameters | Usage of GET parameters of the URL on a wiki page. | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| UserFunctions | Enhance parser with user functions | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| UserMerge | Merges several users into one account. | GPL v3 only | MW | ✓ | ✓ | ✓ | ✓ |
| Validator | provides generic parameter handling support to other extensions. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| Variables | Parser functions allowing to work with dynamic variables in an article scoped context | ISC | MW | ✓ | ✓ | ✓ | ✓ |
| VisualEditor | Is an editor you can use without having to enter special markup. | MIT | MW | ■ | ✓ | ✓ | ✓ |
| WebAuthn | Module for the OATHAuth extension that provides authentication using the WebAuthn API. (starting at v.4.1) | GPL v2 | MW | ⊘ | ✓ | ✓ | ✓ |
| | Adds a WebDAV endpoint that | GPL v3 | | | | | |



| Extension | Description | License | Maintainer | free | pro | farm | cloud |
|----------------------------|---|---------|------------|------|-----|------|-------|
| WebDAV | exposes the wiki content | only | BS | ⊘ | ■ | ■ | ■ |
| Widgets | integration of external content from social media sites. | GPL v2+ | MW | ⊘ | ✓ | ✓ | ✓ |
| WikiEditor | Provides an improved interface for editing Wikitext | GPL v2+ | MW | ✓ | ✓ | ✓ | ✓ |
| Workflows | Allows defining and executing different types of workflows. | GPL v3+ | MW | ⊘ | ✓ | ✓ | ✓ |

Additionally required licenses

BlueSpice is delivered free of legal defects and without hidden additional licenses. There is only one extension which charges an additional fee for the enhancement of the existing function:

- [PHPDOCX Pro](#): This additional license is only needed if you want to use the export to DocX format.