

# Software catalog

BlueSpice 5.2



All BlueSpice extensions at a glance.

## Software catalog

Approved: 10:51, 26 January 2026 / Revision: 10:51, 26 January 2026

A list of all 195 MediaWiki and BlueSpice extensions for the current version of BlueSpice.

### Legend

- ⊘: Extension is **not included** in this Edition
- : Extension is **included**, but **deactivated** by default
- ✓: Extension is **included** and is **activated** by default

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">AIEditingAssistant</a>	AI-assisted editing for VisualEditor	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">AdhocTranslation</a> 5.0+	Live translation of page to user language	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">Arrays</a>	Store and compute named arrays	MIT	MW	✓	✓	✓	✓
<a href="#">AtMentions</a>	Add a user mention	GPL-3.0-only	MW	⊘	✓	✓	✓
<a href="#">Auth remoteuser</a>	Automatically logs-in users using the <code>REMOTE_USER</code> environment variable	GPL v2+	MW	■	■	■	⊘
<a href="#">BlueSpiceAbout</a>	Information about BlueSpice	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceArticleInfo</a>	Provides information about a page in status bar	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceArticlePreviewCapture</a>	#bs-articlepreviewcapture-desc#	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceAuthors</a>	Displays the profile picture for authors of a page	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceAvatars</a>	Provides generic and individual user pictures	GPL-3.0-only	BS	✓	✓	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">BlueSpiceBookshelf</a>	Enables BlueSpice to manage and export hierarchical collections of articles.	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceCategoryCheck</a>	Checks for assigned category before an article gets saved	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceCategoryManager</a>	Visual tool to manage categories	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceChecklist</a>	Provides checklist functionality	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceCloudClient</a>	encapsulates all cloud specific functionality	GPL v3	BS	⊘	⊘	⊘	✓
<a href="#">BlueSpiceConfigManager</a>	Offers the possibility to admins, to configurate the whole wiki from a single special page	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceContextMenu</a>	Provides context menus for various links	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceCountThings</a>	Provides content based statistics	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceCustomMenu</a>	Provides customizable menus	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceDiscovery</a>	BlueSpice skin	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceDistributionConnector</a>	Connects BlueSpice to various MediaWiki extensions	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceEchoConnector</a>	Connects BlueSpice with the extension <i>Echo</i>	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceEmoticons</a>	Renders emoticons in a text as images	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceExpiry</a>	Pages can be marked as expired.	GPL-3.0-only	BS	⊘	✓	✓	✓
	Allows export of tables to	GPL-3.0-					

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">BlueSpiceExportTables</a>	Excel and CSV	only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceExtendedSearch</a>	Elasticsearch search backend	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceExtendedStatistics</a>	Statistics module for BlueSpice	GPL-3.0-only	BS	■	✓	✓	✓
<a href="#">BlueSpiceFilterableTables</a>	Provides a filterable content tables	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceFoundation</a>	Makes MediaWiki enterprise ready	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceHideTitle</a>	Adds the magic word <code>'"UNIQ--nowiki-000000E8-QINU"'</code> to hide the title area of the page	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceInsertCategory</a>	Dialog to enter a category link	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceInsertFile</a>	#bs-insertfile-desc#	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceInstanceStatus</a>	Adds an overview of the wiki instance status	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceInterWikiLinks</a>	Administration interface for adding, editing and deleting interwiki links	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceInterwikiSearch</a>	Simultaneous search in multiple wikis	GPL-3.0-only	BS	⊘	■	■	⊘
<a href="#">BlueSpiceMatomoConnector 5.1+</a>	Interface between BlueSpice and the Matomo analytics tool	GPL v3+	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceNSFileRepoConnector</a>	Integrates NSFileRepo in a range of BlueSpice Extensions (Requires NSFileRepo)	GPL-3.0-only	BS	⊘	✓	✓	✓
	Administration interface for adding, editing and deleting						

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">BlueSpiceNamespaceManager</a>	namespaces	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpicePageAccess</a>	Controls access on page level	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpicePageAssignments</a>	Enables you to assign users or groups to a page	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpicePageFormsConnector</a>	Integrates PageForms extension into BlueSpice	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpicePageTemplates</a>	Displays a list of templates marked as page templates	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpicePagesVisited</a>	Provides a personalized list of the last visited pages	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpicePermissionManager</a>	Administration interface for editing user rights	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpicePlayer</a>	Embed a media player on a page.	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpicePrivacy</a>	Management page for user privacy settings	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceProDistributionConnector</a>	Connects BlueSpice to various MediaWiki extensions	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceQrCode</a>	Displays a QR code with a link to the current page in the toolbar.	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceRSSFeeder</a>	An extension to output valid RSS for every extension, which has a buildRss-function	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceRating</a>	Provides a rating system	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceReadConfirmation</a>	Extension to collect read confirmations for a page	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceReaders</a>	Creates a list of the people who read a page	GPL-3.0-only	BS	✓	✓	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">BlueSpiceReminder</a>	Gives the user the opportunity to create reminders.	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceSMWConnector</a>	Integrates SemanticMediaWiki into BlueSpice	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceSaferEdit</a>	Provides warnings if other users are editing the page	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceSignHere</a>	Provides a tag to quickly add a signature to a page	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceSmartList</a>	Displays the last five changes of the wiki in a list	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceTagCloud</a>	Displays various tag clouds	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceTranslationTransfer 5.0 +</a>	Enables the translation and transfer of pages among wiki instances	GPL-3.0-only	BS	⊘	⊘	✓	⊘
<a href="#">BlueSpiceUsageTracker</a>	Holds statistical data about extension use	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceUserInfo</a>	#bs-userinfo-description#	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceUserManager</a>	Administration interface for adding, editing and deleting users	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceUserSidebar</a>	Customizable personal navigation menu	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceVisualEditorConnector</a>	Connects BlueSpice with VisualEditor	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceWatchList</a>	Adds a watchlist widget and tag	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">BlueSpiceWholsOnline</a>	Displays a list of users who are currently online	GPL-3.0-only	BS	✓	✓	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">BlueSpiceWikiExplorer</a>	Sort articles by criteria	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">BlueSpiceWikiFarm</a>	User interface for managing wiki instances.	GPL v3	BS	⊘	⊘	✓	⊘
<a href="#">CategoryTree</a>	Enables you to displays categories and subcategories in a tree structure.	GPL v3 only	MW	✓	✓	✓	✓
<a href="#">ChatBot 5.2+</a>			BS	⊘	✓	✓	✓
<a href="#">ChatIntegration 5.2+</a>			BS	⊘	✓	✓	✓
<a href="#">Checklists</a>	Provides checklists in VisualEditor	GPL-3.0-only	MW	⊘	✓	✓	✓
<a href="#">Cite</a>	Allows a user to create footnotes by using a special tag.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">CiteThisPage</a>	Extension provides a special page which allows creating a citation for a page in variety of styles.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">CodeEditor</a>	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor	GPL v2+ and BSD 3 Clause	MW	✓	✓	✓	✓
<a href="#">CodeMirror</a>	Syntax highlighting in the wikitext editor.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">CognitiveProcessDesigner</a>	Draw BPMN processes with a graphical user interface in Semantic MediaWiki	GPL-3.0-only	MW	⊘	✓	✓	✓
<a href="#">CollabPads</a>	#collabpads-desc#	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">CommentStreams 5.0+</a>			BS	⊘	✓	✓	✓
<a href="#">ConfirmAccount</a>	Requires submission and approval of accounts.	GPL v2+	MW	⊘	⊘	⊘	✓

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">ConfirmEdit</a>	Enables the user to place various CAPTCHA methods to protect the wiki from spambots.	GPL v2+	MW	■	■	■	⊘
<a href="#">ContainerFilter</a>	Allows to filter content elements within a page	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">ContentDroplets</a>	VisualEditor integration for inserting predefined content snippets	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">ContentProvisioning</a>	Provides an overview of provisioned pages and allows administrators to synchronise content	GPL-3.0-only	MW	⊘	✓	✓	✓
<a href="#">ContentStabilization</a>	Allows users to mark pages as "approved" or "draft" and to view the most recent approved version of a page.	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">ContentTransfer</a>	Enables pushing content from one wiki to another	GPL-3.0-only	BS	⊘	⊘	✓	⊘
<a href="#">CreateUserPage</a>	Create user page for a user if it does not exist when the user logs in	MIT	MW	⊘	✓	✓	✓
<a href="#">Data Transfer</a>	Allows for importing and exporting the contents of a wiki's pages in XML and CSV form, using template calls to define the fields.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">DateTimeTools</a>	Provides date tools in VisualEditor	GPL-3.0-only	MW	⊘	✓	✓	✓
<a href="#">DrawioEditor</a>	draw.io flow chart creation and inline editing	GPL-3.0-only	MW	⊘	✓	✓	✓
	Create lists of other articles based on their category, namespace, title, references or template usage and include contents or						

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">DynamicPageList3</a>	arguments of template calls of those articles into your page.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">EmbedVideo (fork)</a>	Adds a parser function called #ev for embedding video clips from popular video sharing services.	MIT	MW	⊘	✓	✓	✓
<a href="#">EnhancedStandardUIs</a>	Provides user interfaces for MediaWiki standard user interfaces	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">EnhancedUpload</a>	File upload	GPL v3 only	BS	✓	✓	✓	✓
<a href="#">EventBus</a>	Propagation of change events to a RESTful service.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">ExtJSBase</a>	#extjsbase-desc#	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">External Content 5.2+</a>	Allows for embedding of specific external content	GPL v2+	MW	✓	✓	✓	✓
<a href="#">External Data</a>	allows for using and displaying values retrieved from various sources: external URLs, local wiki pages and local files (in CSV, GFF, JSON and XML formats), database tables, and LDAP servers.	GPL v2+	MW	⊘	✓	⊘	⊘
<a href="#">FilterSpecialPages</a>	Inserts a field in Special: Specialpages to provide a search function.	GPL v2+	BS	✓	✓	✓	✓
<a href="#">FlexiSkin</a>	Allows customizing of the skin	GPL-3.0-only	MW	✓	✓	✓	✓
<a href="#">FontAwesome</a>	Provides the FontAwesome icon fonts in the wiki	-	MW	✓	✓	✓	✓
<a href="#">Forms</a>	Allround form framework for MediaWiki	GPL-3.0-only	MW	⊘	✓	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">Gadgets</a>	Provides a way for users to pick JavaScript or CSS based "gadgets" that other wiki users provide.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">Header Tabs</a>	displays top-level headers as JavaScript-based tabs.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">HeaderFooter</a>	Allows to include a header and footer area in the page content.	GPL v2+	MW	✓	✓	⊘	✓
<a href="#">HitCounters</a>	Counts the hits of a page /article.	GPL v3+	MW	✓	✓	✓	✓
<a href="#">ImageMap</a>	Allows clickable HTML image maps.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">ImageMapEdit</a>	automates and simplifies a large part of the process.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">ImportOfficeFiles</a> 5.1+	Allows importing office files as wikipages	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">InputBox</a>	Allows to integrate HTML forms into wiki pages.	MIT	MW	✓	✓	✓	✓
<a href="#">Interwiki</a>	Provides a special page for maintaining the Interwiki table.	GPL v2+	MW	■	■	■	⊘
<a href="#">InviteSignup</a>	Allows to send email invitations for account creation.	GPL v2+	MW	✓	✓	⊘	✓
<a href="#">IssueTrackerLinks</a> 5.2+	Allows special formatting of links to issue tracker applications	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">LDAP Authorization</a>	Allows group-based authorization against an LDAP resource.	MIT	BS	⊘	■	■	⊘
<a href="#">LDAPAuthentication2</a>	Allows authentication against an LDAP resource	-	MW	⊘	■	■	⊘

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">LDAPGroups</a>	Allows synchronization with an LDAP directory such as Microsoft ActiveDirectory	GPL-2.0	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="radio"/>
<a href="#">LDAPProvider</a>	Provides a common infratructure to connect to a LDAP resource and run queries against it	-	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="radio"/>
<a href="#">LDAPSyncAll</a>	Mechanism by which users in the database and users in Active Directory are synchronized.	GPL-3.0-only	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="radio"/>
<a href="#">LDAPUserInfo</a>	Synchronisation of users with an LDAP directory	GPL-2.0	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="radio"/>
<a href="#">Lingo</a>	Provides hover-over tool tips on pages from words defined on the Glossar page	GPL v2+	MW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">LocalisationUpdate</a>	Allows to update the localizations for MediaWiki messages at any time, without needing to upgrade the MediaWiki software.	GPL v2+	MW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="radio"/>
<a href="#">LoginNotify</a>	Notifies users about unusual login events.	MIT	MW	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="checkbox"/>
<a href="#">Loops</a>	Provides parser functions for performing loops.	-	MW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">Maps</a>	allows users to display maps and coordinate data using multiple mapping services.	GPL v2+	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">Math</a>	Renders mathematical formulas between math tags	GPL v2+	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">MediaWiki</a>		GPL v2+	MW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">MenuEditor</a>	Graphical editor for menu pages	GPL-3.0-only	BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">MergeArticles</a>	Allows merging comparing and merging articles	GPL-3.0-only	BS	⊘	⊘	■	⊘
<a href="#">MultimediaViewer</a>	Provides a better experience to users when they click on thumbnails	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">NSFileRepo</a>	Provide namespace based features to uploaded files	GPL-2.0-or-later	BS	⊘	✓	✓	✓
<a href="#">NotifyMe</a>	Notifications	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">Nuke</a>	Extension for administrators to delete more than one page at once.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">NumberHeadings</a>	Number headings in content namespaces	GPL-3.0-only	MW	⊘	✓	✓	✓
<a href="#">OATHAuth</a>	Provides authentication support using HMAC-based one-time passwords	GPL v2+ and GPL v3+	MW	■	■	■	✓
<a href="#">OAuth</a>	Implements an OAuth server in MediaWiki that supports both the OAuth 1.0a and OAuth 2.0 protocol version	GPL v2+	BS	⊘	✓	✓	✓
<a href="#">OOJSPlus</a>	Provides Widgets and utility functions for OOJS	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">OpenID Connect</a>	Extends the PluggableAuth extension to provide authentication using OpenID Connect.	MIT	MW	⊘	■	■	■
<a href="#">OpenLayers</a>	basic library for the grafical representation/chart of semantic data.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">PDFCreator 5.0+</a>	Create PDF files of wiki pages	GPL-3.0-only	BS	✓	✓	✓	✓
	Media handler extension for						

Extension	Description	License	Maintainer	free	pro	farm	cloud
<a href="#">PDFEmbed</a>	PDF files.	-	MW	⊘	✓	✓	✓
<a href="#">Page Forms</a>	Forms for creating and editing wiki pages	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">PageCheckout</a>	Allows exclusive rights on a page for a user	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">PageHeader</a>	Provides an additional user interface before the page content.	GPL v3 only	BS	✓	✓	✓	✓
<a href="#">PageImages</a>	Collects information about images used on page	WTFPL	MW	⊘	✓	✓	✓
<a href="#">ParserFunctions</a>	Enhance parser with logical functions	GPL v2+	MW	✓	✓	✓	✓
<a href="#">ParserHooks</a>	adds a OOP and declarative parser hook interface.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">PdfHandler</a>	Shows uploaded PDF files in a multipage preview layout.	GPL v2+	MW	■	■	■	✓
<a href="#">PluggableAuth</a>	Provides framework for pluggable authentication and authorization	MIT	MW	⊘	■	■	■
<a href="#">Poem</a>	Create paragraphs and line breaks for poem formatting	GPL v2+	MW	■	■	■	⊘
<a href="#">Popups -5.1.x</a>	Displays previews when the user hovers over a page link	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">PreToClip 4.3+</a>	Allows to copy contents of PRE tags into the clipboard	GPL-3.0-only	MW	⊘	✓	✓	✓
<a href="#">PreviewLinks 5.2+</a>			BS	✓	✓	✓	✓
<a href="#">RSS</a>	Renders RSS feeds to display them in wiki articles.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">Renameuser</a>	Provides a special page that allows user accounts to be renamed.	GPL v2+	MW	✓	✓	✓	✓
	Provides a form to let						

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">Replace Text</a>	administrators do string replacements on the entire wiki, for both page contents and page titles.	GPL v2+	MW	■	✓	✓	✓
<a href="#">RevisionSlider</a>	Shows a slider for selecting and comparing revisions on a diff page.	-	MW	⊘	✓	✓	✓
<a href="#">Scribunto</a>	provides a framework for embedding scripting languages into articles.	GPL v2+ and MIT	MW	⊘	✓	✓	✓
<a href="#">SectionAnchors</a> 4.3+	Adds a link to headings	GPL-3.0-only	BS	⊘	✓	✓	✓
<a href="#">SecureLinkFixer</a>	Rewrites URLs to HTTPS if domain always requires HTTPS	-	MW	■	■	■	⊘
<a href="#">Semantic Compound Queries</a>	defines a parser function, #compound_query, that can make multiple Semantic MediaWiki queries at the same time.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">Semantic Extra Special Properties</a>	Adds some extra special properties to all pages	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">Semantic MediaWiki</a>	allows users to add structured data to wiki pages through simple wikitext markup that turns links to other pages and data values in a page into meaningful properties. With this information, SMW helps to search, organize, browse, evaluate, and share the wiki's content.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">Semantic Result Formats</a>	Adds further formats to render inline query results.	GPL v2+	MW	⊘	✓	✓	✓
	A Semantic MediaWiki extension to natively support	GPL v2+ and					

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">Semantic Scribunto</a>	the Scribunto extension	MIT	MW	⊘	✓	✓	✓
<a href="#">SimpleBlogPage 5.0+</a>			BS	⊘	✓	✓	✓
<a href="#">SimpleSAMLphp</a>	Provides authentication using SimpleSAMLphp in conjunction with PluggableAuth	MIT	MW	⊘	■	■	■
<a href="#">SimpleTasks</a>	Create tasks for users	GPL-3.0-only	MW	⊘	✓	✓	✓
<a href="#">SpamBlacklist</a>	Create and manage blacklists based on URL patterns to avoid spam in the wiki.	GPL v2+	MW	■	■	■	⊘
<a href="#">StandardDialogs</a>	Provides dialog user interfaces for common page actions.	GPL v3+	BS	✓	✓	✓	✓
<a href="#">SubPageList</a>	Allows to list and count subpages	GPL v2+	MW	✓	✓	✓	✓
<a href="#">SyntaxHighlight</a>	Provides syntax highlighting and code rendering.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">TabberNeue</a>	Creates tabs in a wiki page.	GPL v3+	MW	⊘	✓	✓	✓
<a href="#">TableTools 4.5+</a>	Adds additional functionality for content tables	-	BS	⊘	✓	✓	✓
<a href="#">TemplateData</a>	Implement data storage for template parameters (using JSON)	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">TemplateStyles</a>	Implement per-template style sheets	GPL v2+	MW	✓	✓	✓	✓
<a href="#">TextExtracts</a>	Provides plain-text or limited HTML extracts of page content	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">TitleBlacklist</a>	Manage black- and whitelist to forbid creating new articles and user accounts.	GPL v2+	MW	■	■	■	⊘

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">TitleKey</a>	Provides a title prefix search suggestion backend.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">TwoColConflict</a>	Showing a side-by-side edit merge screen for edit conflict resolution	GPL v2+	MW	✓	✓	✓	✓
<a href="#">UnifiedTaskOverview</a> 4.4+	Provides the special page "My tasks"	-	MW	⊘	✓	✓	✓
<a href="#">UrlGetParameters</a>	Usage of GET parameters of the URL on a wiki page.	GPL v2+	MW	✓	✓	✓	✓
<a href="#">UserFunctions</a>	Enhance parser with user functions	GPL v2+	MW	✓	✓	✓	✓
<a href="#">UserMerge</a>	Merges several users into one account.	GPL v3 only	MW	✓	✓	✓	✓
<a href="#">UserProfile</a> 5.0+	UI and additional data for user profiles	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">VEforAll</a>		GPL v2+	BS	✓	✓	✓	✓
<a href="#">Validator</a>	provides generic parameter handling support to other extensions.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">Variables</a>	Parser functions allowing to work with dynamic variables in an article scoped context	ISC	MW	✓	✓	✓	✓
<a href="#">VisualEditor</a>	Is an editor you can use without having to enter special markup.	MIT	MW	✓	✓	✓	✓
<a href="#">VisualEditorPlus</a> 4.4+	Adds various functionalities to the visual editor	GPL-3.0-only	BS	✓	✓	✓	✓
<a href="#">VuejsPlus</a> 4.5+	Collection of Vuejs components	GPL-3.0-only	BS	⊘	✓	✓	✓
	Module for the OATHAuth extension that provides authentication using the						

Extension	Description	License	Main-tainer	free	pro	farm	cloud
<a href="#">WebAuthn</a>	WebAuthn API. (starting at v. 4.1)	GPL v2	MW	⊘	✓	✓	✓
<a href="#">Widgets</a>	integration of external content from social media sites.	GPL v2+	MW	⊘	✓	✓	✓
<a href="#">WikiEditor</a>	Provides an improved interface for editing Wikitext	GPL v2+	MW	✓	✓	✓	✓
<a href="#">WikiRAG 5.2+</a>			BS	⊘	✓	✓	✓
<a href="#">Workflows</a>	Allows to define and execute various workflows on the wiki	GPL-3.0-only	MW	⊘	✓	✓	✓